

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16246	scale and piston and cylinder and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 14:22
L2	1792	scale and piston and cylinder and gear and damp\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 14:22
L3	9	2 and (piston near gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 14:25
L4	246	177/184.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 14:25
L5	28	4 and piston	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 14:28
L6	3	5 and gear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 14:33
L7	506	(piston and gear and damp\$5).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 14:46
S1	601	"248"/\$.ccls. and "396"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:05

S2	10	S1 and (boat or marine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:09
S3	391	S1 and support	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:10
S4	15	S1 and (counter\$1 adj (weight balance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:18
S5	102	ski and boat and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:20
S6	643	396/428.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:20
S7	30	396/428.ccls. and (boat or marine or water)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:43
S8	135	396/50.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:59
S9	495	248/187.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 14:59

S10	86	248/187.1.ccls. and (automatic\$6 auto or (self adj level\$4) or (stabiliz\$6 stable) or (counter adj (weight balance)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:17
S11	192	248/180.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/23 15:52
S12	9	(("3632076") or ("4645320") or ("5940644") or ("5742859") or ("5963749") or ("0524370") or ("5897223") or ("4247069") or ("20030007795")).PN.	USPAT; USOCR	OR	OFF	2005/08/29 09:44
S13	8	(("3632076") or ("4645320") or ("5940644") or ("5742859") or ("5963749") or ("5243370") or ("5897223") or ("4247069") or ("20030007795")).PN.	USPAT; USOCR	OR	OFF	2005/08/23 16:07
S14	9	(("3632076") or ("4645320") or ("5940644") or ("5742859") or ("5963749") or ("5243370") or ("5897223") or ("4247069") or ("20030007795")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/24 11:06
S15	1417	birdsall	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 11:07
S16	2	birdsall adj marine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 11:08
S17	465	MIT and camera and mount	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 11:08
S18	1	MIT and camera and mount and railing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 11:09

S19	54	MIT and camera and mount and clamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:06
S21	315	(roll\$3 and (stab\$6 level\$3) and (mount\$3 support)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:32
S22	366	(roll\$3 and (stab\$6 level\$3) and (mount\$3 support) and damp\$6).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:35
S23	1	(roll\$3 and (stab\$6 level\$3) and (mount\$3 support) and damp\$6).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 16:34
S24	35	(roll\$3 and (stab\$6 level\$3) and (mount\$3 support) and damp\$6 and piston).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 10:53
S25	204	roll\$3 and (stab\$6 level\$3) and (mount\$3 support) and damp\$6 and piston and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 09:16
S26	129	396/12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 13:13
S27	2	396/12.ccls. and piston	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 09:17

S28	4	("4621785" "5742859").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 10:13
S29	11	396/12.ccls. and damp\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:09
S30	159	396/13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 13:13
S31	321	motorcycle and camera and (mount support)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 09:14
S32	1	(motorcycle and camera and (mount support)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 09:15
S33	18	(motorcycle and (camera video) and (mount support)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 09:16
S34	502	motorcycle and (camera video) and (mount support)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 09:16
S35	204	motorcycle and (camera video) and (mount support) and (railing handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 09:25
S36	1	("5190256").PN.	USPAT; USOCR	OR	OFF	2005/08/26 09:25

S37	22555	(mount support) and damp\$4 and piston	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 10:54
S38	53427	damp\$4 and piston	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 10:55
S39	602	"248"/\$.ccls. and "396"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 10:55
S40	6	S39 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 10:56
S41	1094	boat and rail\$3 and clamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 13:32
S42	66	boat and rail\$3 and clamp and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 13:36
S43	8	((boat marine) and rail\$3 and camera).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 13:37
S44	416	((boat marine) and rail\$3 and camera)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 13:43

S45	405	((boat marine) and rail\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 13:44
S46	33	((boat marine) and rail\$3 and (mount support)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:02
S47	7069	((boat marine) and rail\$3 and (mount support))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:03
S48	7069	(boat marine) and rail\$3 and (mount support)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:09
S49	1	binocular same (boat marine) same rail\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:10
S50	1	binocular same rail\$3 and (boat marine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:10
S51	1	(binocular same rail\$3) and (boat marine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:10
S52	217430	rail and (mount support)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:12

S53	7	(rail\$3 and (mount support) and binocular).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:13
S54	172	binocular and (boat marine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:18
S55	195082	optical and (boat marine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:18
S56	14157	optical and (boat marine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:19
S57	245	S56 and (clamp mount) and rail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:26
S58	2323	"248"/\$.ccls. and (marine boat)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:27
S59	879	"248"/\$.ccls. and (marine boat) and clamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:27
S60	146	"248"/\$.ccls. and (marine boat) and clamp and rail\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:41

S61	5	"248"/\$.ccls. and (marine boat) and clamp and rail\$4 and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 14:41
S62	10	(("1409233") or ("3050280") or ("3096109") or ("3304035") or ("3640498") or ("3943585")).PN.	USPAT; USOCR	OR	OFF	2005/08/26 15:29
S63	1	("5190256").PN.	USPAT; USOCR	OR	OFF	2005/08/26 15:29
S64	11	("3180603" "3484066" "3838660" "4177595" "4498744" "4579434" "4617572" "4641597" "4893577").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 09:19
S65	23346	piston and cylinder and damp\$5 and (liquid or fluid or oil)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 09:20
S66	6940	S65 and gear	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 09:21
S67	42	"248"/\$.ccls. and S66	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 09:41
S68	13	"396"/\$.ccls. and S66	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 09:31
S70	67	cylinder and (piston near gear) and damp\$5 and (fluid liquid oil)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 09:54
S71	52826	"396"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 09:50